Index

Nuclear Safety

Volume 9

Note: The page range for each of the six issues of Vol. 9 is as follows:

No. 1, pages 1 to 102
No. 2, pages 103 to 192
No. 3, pages 193 to 302
No. 4, pages 303 to 336
No. 5, pages 337 to 442
No. 6, pages 443 to 548

Accelerators
  occurrence in Cambridge Linear, reported in 1966, 255
  shielding recommendations for low energy, 457–66
Accelerographs
  use for reactor safety, 121–23
Accelerometers
  use in detecting flaws in reactor
  use for reactor safety, 120–22
  vessels, 222
Accidents
  (see also Incidents and Occurrences)
  analysis, 10–24, 112–19, 210–17, 351–63, 467–78
  definition, 250–51
  detection in fast reactors, 207–8
  fission-product behavior in water reactors, 79–81
  fission-product release and transport in LMFBR, 494–507
  loss of coolant, 412
  medical planning and care for radiation victims, seminars on, 521
  reactor-core melt-through, 13–24
  reactor emergency-cooling-system failure, 13–24
  steam explosions, 21–22
Acoustics
  use in failure detection, 222–24
Actinides
  processing, ion-exchange-resin system failure in, 394–405
Adsorbers
  for fission products, 273–74
Advisory Committee on Nuclear Materials Safeguards
  establishment, 200
Advisory Committee on Reactor Safeguards
  activities, 194–95
  comments on emergency core cooling, 324–25
  comments on seismic research, 325
  membership, 283, 431
  report on use of ice for pressure suppression in reactors, 174–75
Aerosols
  behavior of oxide, 273–74
  dispersion in atmosphere, 171, 427, 532
  filtering of oxide, 273–74
  properties of fission-product, 273
Aerosols (stainless steel–UO_2)
  filtering, 80–81
Air
  (see also Atmosphere)
  cleaning, 275–76
  cleaning-system guide, 282, 421–22
Air Force
  reactor operators, certification of, 111
  reactor-safety review procedures in, 110
Alkali metals
  fires, 11–12
  handling, 12
Aluminum powder
  ignition temperatures, 11–12
Aluminum wire
  burning, 11
Analog computers
  use in power-reactor operation, 26–27
Argonne National Laboratory
  environmental dose evaluation, 388–89
Army
  reactor operators, certification of, 110–11
  reactor-safety review procedures in, 108–9
Atmosphere
  (see also Air)
  aerosol dispersion in, 171
  aerosol and gas dispersion in, 427, 532
  aerosol and gas dispersion in, 427
  gas dispersion in, 171
  monitoring in facility environs, 147–48
  pollution reduction by using high stacks, 46–53
Atomic Energy Commission
  administrative activities, 88–91, 174–75, 282–86, 324–26, 430–31, 534–35
Atomic Industrial Forum
  comments on reactor design criteria, 175
Atomic Safety and Licensing Board Panel
  activities, 194–99
  appointment of James P. Gleason to, 175
  appointment of Rolf Eliassen to, 326
Atomics International
  comments on reactor design criteria, 175

Beryllium powder
  ignition temperatures, 11–12
Biota (aquatic)
  sampling in facility environs, 147
Boiling
  burnout in pool systems, 351–60
  burnout in subcooled forced-convection systems, 467–78
Books
  "Health Physics: Principles of Radiation Protection", review of, 519
  "Meteorology and Atomic Energy", review of, 519–20
Boron powder
  ignition temperatures, 11–12
Brass wire
  burning, 11
Bronze wire
  burning, 11
Brookhaven National Laboratory
  incident, ion-exchange-resin system failure, 397–98, 400–1
Budget
  FY-1969, for nuclear safety studies, 282–83, 431
Burnout
  in pool-boiling systems, 351–60
  in subcooled forced-convection systems, 467–78
By-product materials
  licensing and regulation, 99

Calcium powder
  ignition temperatures, 11–12
Capsule Driver Core
  transient studies, 74–76
  UO_2 fuel (stainless-steel clad) failure, 64
Casks
  (see also Containers)
  studies of shipping, 170–71, 426–27, 531
Cerium alloys (Ce–Co–Pu)
  burning, aerosol produced by, 10
Cerium powder
  ignition temperatures, 11–12
Charcoal
  use for trapping I, 273–74
Charcoal (activated)
  combustibility, 378
  methyl iodide behavior in, 38–39
  radioiodine trapping, 373–77
Charcoal (iodized)
  radioiodine trapping, 80, 373–77, 413–14
Charcoal adsorbers
  ignition, 13
Charcoal filters
  design and testing, 72
Cities
  power-reactor siting in, 2–3
Coatings
  CH_3I deposition on reactive, 236–37
  I_2 deposition on reactive, 236–37
Coatings (retentive)
  development for radioiodine deposition, 274–75

Cobalt wire
burning, 11
Colorado
regulatory authority, 189–90
Computer codes
for simulation of PWR-coolant concentration during decontamination, 73
water reactor kinetics, 74–75
Computers
use to calibrate control rods in Peach Bottom 1 reactor, 68–69
use in detection of failures in power plants, 221
use in retrieval of reactor-safety information, 533
use for reactivity measurement in ANL reactors, 68
Computers (analog)
use in power-reactor operation, 26–27
Computers (digital)
use in power-reactor operation, 25–28
Conferences and meetings
(see also Seminars and Symposia)
failures in power plants, detection of, 218–25
fast-reactor safety, 202–11
nuclear safety at ORNL, 545
operational monitoring, 547
reactor operating experience, 64–73
Containers
(see also Casks)
for radioisotope heat sources, reliability in launch-pad abort environments, 11
Containment Systems Experiment
programs, 81–82, 276–77, 416
Contamination
(see Fission products, Pollution, and Radioisotopes)
Copper wire
burning, 11
Corrosion products
release of activated, 241
Crack monitors
development of continuous, 77–78, 272, 411
Critical assemblies
power measurement, 67
Crops
monitoring in facility environs, 148
Curium isotopes (^{244}Cm)
removal from HFIR and BR-2 primary coolant systems, 322–23
Current events, 74–101, 165–87, 268–302, 324–36, 407–42, 525–48

Department of Defense
reactor-safety review procedures in, 106–11
Design
criteria, comments on, 175
criteria for power reactors, 88–89
criteria for reactor pressure vessels, 89–90
reactor-protection systems, 28–34, 303–12
Digital computers
use in power-reactor operation, 25–28
Division of Nuclear Materials Safeguards
establishment, 200
Division of Reactor Licensing
Deputy Director, appointment of, 283–84
Division of Regulation for Special Projects
Assistant Director, appointment of, 325–26
Doan, Richard L.
appointed Assistant Director of Regulation for Special Projects Division, 325–26
Dosimetry
use of luminescent systems for personnel monitoring, 510–14

Earthquakes
consideration of effects of, on reactors, 199
Ecology (radio-)
symposium, 138–43
Education
(see also Training courses)
nuclear safety in nuclear engineering curricula, reasons for, 59–64
Effluents
control, 170–72, 426–28, 531
Eliassen, Rolf
appointment to Atomic Safety and Licensing Board Panel, 326
Engineered safeguards
compensating, for power reactors, 1–2
in high-temperature gas-cooled reactors, 7–8
reliability, 127, 303–12
Engineering (nuclear)
curricula, reasons for nuclear safety in, 59–64
Environs
biota sampling, 147
dose evaluation, 383–92
radiation monitoring, 148
radioisotope concentration in, relation to specific activity, 53–58
Equipment
operation with radioactive materials, safety principles for, 251–53
Ethanol
burnout in pool-boiling systems, 351–60
Explosions
ion-exchange-resin systems, 394–405
steam, 21–22

Federal Radiation Council
radiation protection guide, 383–84
Fiber optics
use in failure detection, 224
Filters
for fission products, 273–74
Filters (charcoal)
design and testing, 72
Fires
extinguishants for metal, 13
in ion-exchange-resin systems, 394–405
Fission products
behavior under accident conditions, 272–76, 413–16
behavior of gasborne, at high temperature, 170, 530–31
behavior during graphite-steam reaction, 169, 425–26
behavior in high-temperature gas-cooled reactors, 7–8
behavior in HTGR, 169–70
behavior in LOFT, 84–85
behavior during reactor accidents, 20–21
behavior under water-reactor accident conditions, 79–81
capsule tests in ORR, 170
particle-size determination in LOFT, 86–87, 420–21
release, 241
release from failed fast reactor fuel, 168–69
release in LOFT, 86
release, prompt, 81
release studies in fast reactors, 425, 529
release and transport in LMFBR, 494–507
removal of gasborne, by liquids, 81, 276, 415–16
sampling-capsule testing in LOFT, 86
Fontenay-Aux-Roses
incident, ion-exchange-resin system failure, 395
FRC
(see Federal Radiation Council)

Gases
dispersion in atmosphere, 171
disposal, underground, 171
stack disposal of, 46–53
travel of radioactive, in ground, 172
Generators (steam)
tube plugging in PWR and Yankee Reactor, 69
Geohydrology
gas disposal, underground, 171
Geology
relation to power-reactor safety, 3–4
Geophysics
instrumentation for reactor safety, 120–24
Gleason, James P.
appointment to Atomic Safety and Licensing Board Panel, 175
Graphite
fire spread in reactor-moderator, 10–11
oxidation, 12–13
reaction with steam, 170
reaction with steam, fission-product behavior during, 169, 529–30
Graphite (SiC coated)(irradiated)
oxidation, 13
Ground
gas disposal in, 171
gases in, travel of radioactive, 172
radioactive wastes disposal in, symposium on, 313–21
Groundwater
(see Water (surface))

Halides
use of mixed, for metal-fire extinguishants, 13
Hanford Works
environmental dose evaluation, 388–91
incident, ion-exchange-resin system failure, 395–96, 398–99
Hastelloy C
reactions with gases, 11
Hastelloy X
reaction with air, 10
reactions with gases, 11
Haynes 25
reactions with gases, 11
Heat transfer
burnout in pool-boiling systems, 351–60
burnout in subcooled forced-convection systems, 467–78
Heavy water
leakage in NPD Reactor, 69
Helium
effect of dissolved, in SRE, 67
Helium (liquid)
burnout in pool-boiling systems, 351–60
Hydrogen (liquid)
burnout in subcooled forced-convection systems, 467–78
handling, 13
reactions with solid air, explosive, 13

Hydrogen iodide
deposition on reactor primary-system surfaces, 226–28
Hydrology (geo-)
gas disposal, underground, 171

Ice
use for pressure suppression upon reactor-coolant loss, 174–75
Incidents
definition, 250–51
ion-exchange-resin system failures in processing actinides, 394–405
significance of nonnuclear, 251
Inconel X
reactions with gases, 11
Indemnity
waiving of defenses, 343–50
Indexes
permuted-title, to Nuclear Safety, 58, 190, 301, 548
Information
access to classified, 99
computer handling of, on reactors, 173–74
NSIC reports, 102, 192, 302
Information centers
(see Nuclear Safety Information Center)
Instrumentation
(see Reactor instrumentation)
International Atomic Energy Agency
symposium on power-reactor containment and siting, 103–6
Iodides (organic)
removal from reactor-containment atmospheres, 171–72
Iodine radioisotopes
chemical properties of, 419–20
deposition, 80, 226–38, 274–75, 414
deposition, effects of reactor-vessel size on, 128–37
release, controlled environment, 87
removal from gas streams, 373–80
sampling in LOFT, 86–87
systems containing airborne, methyl iodide behavior in, 35–42
trapping by iodized charcoal, 80, 373–77, 413–14
trapping by metallic systems, 377–78
trapping by sprays, 414
Ion exchange
^{244}Cm removal from HFIR and BR-2 primary coolant systems by, 322–23
removal of I2 from gas streams by, 378
Ion-exchange-resin systems
failure in actinide processing, 394–405
Iron wire
burning, 11

Joint Committee on Atomic Energy
regulation by, 284

Kerr-McGee Cimarron Facility
incident, ion-exchange-resin system failure, 397

Leaks
detection in power-reactor primary systems, 223
Legislative activities, 534–35
Licensing and regulation
(see also specific reactors, e.g., Reactors (Big Rock Point))
by-product material, 99
changes in, 99–101, 187–90, 297–300, 335–36, 441, 546–47
chemical processing plants, 193–201
Colorado, authority of, 189–90
exemption of reactors from, 101
facilities, 193–201
by JCAE, 284
Midwest Fuel-Recovery Plant, 97–98, 183–84, 294, 542–43
production facilities, 99, 101, 187, 189
^{147}Pm, 99, 189
record keeping, 189, 297, 299–300
report of Radioisotopes Licensing Review Panel, 90
reporting requirements, 189
spent-fuel chemical processing and conversion, 190
U supply, 190
utilization facilities, 99, 101, 187, 189
Lithium powder
ignition temperatures, 11–12

Magnesium powder
ignition temperatures, 11–12
Magnesium reactor-fuel cladding
fire spread from, through graphite moderator, 10–11
Massachusetts Institute of Technology
courses in power-reactor safety, 191, 301
Medicine
planning and care of radiation accident victims, seminars on, 521
Metal powders
ignition temperatures, 11
Metal wires
burning, 11
Metals
(see also specific metals, e.g., Sodium)
failure detection, incipient, 222–23
fires in, extinguishants for, 13
reactions with water, 78–79, 272, 412
Metals (alkali)
fires, 11–12
handling, 12
Metals (refractory)(Pt clad)
reactions with gases, 11
Metals (refractory)(Rh clad)
reactions with gases, 11
Metals (structural)
burning, 10–11
ignition, 10–11
Meteorology
book review, Meteorology and Atomic Energy, 519–20
Methyl ethyl ketone
burnout in pool-boiling systems, 351–60
Methyl iodide
behavior in systems containing airborne radioiodine, 35–42
deposition on reactive coatings, 236–37
removal from gas streams by impregnated charcoal, 373–81
trapping by sprays, 414
Midwest Fuel-Recovery Plant
licensing and regulation, 97–98, 183–84, 294, 542–43
Milk
monitoring in facility environs, 148
Molybdenum
reactions with gases, 11
Molybdenum alloys (Mo–Pu–U)
burning, 10
Monitors (crack)
development of continuous, 77–88, 272, 411

NaK
fire, 12
National Reactor Testing Station
environmental dose evaluation, 389, 392
proposed water-reactor safety school, 522
Navy
reactor operators, certification of, 111
reactor-safety review procedures in, 109–10
Neutron flux
variation reduction in ETR, 67–68
Nickel alloys
(see Hastelloy C, Hastelloy X, Haynes 25, and Inconel X)
Nickel wire
ignition, 11
Nitrogen (liquid)
burnout in pool-boiling systems, 351–60
burnout in subcooled forced-convection systems, 467–78
Nondestructive testing
use for failure detection in power plants, 223
Nozzles
studies, 411–12
Nuclear engineering
curricula, reasons for nuclear safety in, 59–64
Nuclear facilities
environmental dose evaluations, 383–92
indemnity, waiving of defenses, 343–50
Nuclear materials
management, 200
Nuclear Safety Information Center
activities, 172–73, 429, 532–33
permuted-title indexes to Nuclear Safety, 58, 190, 301, 548
reports, 102, 192, 302, 548
Nuclear Safety Pilot Plant
programs, 79–80, 274

Oak Ridge National Laboratory
environmental dose evaluation, 387
incident, ion-exchange-resin system failure, 396–97
Occurrences
definition, 250–51
reported in 1966, 249–66
Office of Safeguards and Materials Management
establishment, 200
Organic iodides
removal from reactor-containment atmospheres, 171–72
Organic reactor coolants
ignition, 13
Oxygen (liquid)
burnout in pool-boiling systems, 351–60

Pacific Northwest Laboratory
incident, ion-exchange-resin system failure, 399
Particulates
removal of iodine bearing, from gas streams, 378–79
Personnel
radiation dosimetry, review of luminescent systems for, 510–14
radiation exposure, regulation of, 189
Photoluminescence
use in personnel monitoring, 510–14

Plants
air-pollution reduction by using high stacks, 46–53
monitoring of environs, 143–49
safety features, 35–45, 226–38
Plants (chemical processing)
licensing and regulation, 193–201
Plants (fuel reprocessing)
licensing and regulation, 97–98, 183–84, 193–201, 294
Plants (production)
licensing and regulation, 99, 101, 187, 189
Plants (utilization)
licensing and regulation, 99, 101, 187, 189
Plumes
behavior in atmosphere, 51–52
Plutonium
burning, aerosol produced by, 10
ignition, 10, 112–19
oxidation, 10
Plutonium alloys (Ce–Co–Pu)
burning, aerosol produced by, 10
Plutonium alloys (Mo–Pu–U)
burning, 10
Plutonium alloys (Pu–Ti–U)
burning, 10
Plutonium dioxide reactor fuels (PuO_2–UO_2)
transient testing, 166–67
Pollution
reduction of air, by using high stacks, 46–53
Population
radiation-dose evaluations, 383–93
radiation exposure, pathway of, 384–85
Potassium
explosion of oxidized, 12
Precipitation
sampling in facility environs, 148
Price–Anderson Act
amendment, waiver of defenses to liability, 343–50
Processing plants (chemical)
licensing and regulation, 193–201
Production facilities
licensing and regulation, 99, 101, 187, 189
occurrences in, reported in 1966, 254–61
Promethium-147
licensing and regulation, 99, 189

Radiation exposure
dose evaluation, 383–92
maximum permissible concentrations, 385–86
medical planning and care of victims, seminars on, 521
pathways of, 384–85
record keeping, 297, 299–300
regulation, 189
Radiation monitoring
environs, 143–49, 383–92
personnel, luminescent systems for, 510–14
Radiation protection
book review, Health Physics: Principles of Radiation Protection, 519
FRC guide, 385–86
shielding requirements for low-energy accelerators, 457–66
Radioactive materials
operation with, safety principles for, 251–53
shipping casks for, 170–71, 426–27
State regulatory authority, 189–90
Radioactive wastes
categories, proposed definition of, 516–18
dispersion in air by using high stacks, 46–53
disposal, 171–72
disposal of gases into the atmosphere, 427, 532
disposal of gases into the ground, 426–28
ground disposal, symposium on, 313–21
management of airborne, 275–76, 414–15
management at power plants, 239–48
occurrences in disposal of, reported in 1966, 262–66
treatment, 171–72
Radioactivity
(see also Fission products)
release, consequences of, 46–58, 138–49, 239–48, 313–21, 383–93, 510–20
Radioecology
symposium, 138–43
Radiography
occurrences in, reported in 1966, 261–62
Radioisotope heat sources
containers of, reactions with gases, 11
Radioisotopes
(see also Effluents)
occurrences in processing and usage of, reported in 1966, 262–66
specific activity relation to environmental concentration, 53–58
Radioisotopes Licensing Review Panel report, 90
Radiology
occurrences in, reported in 1966, 261–62
Reactivity
measurement in CP-5 Reactor, 68
measurement in JANUS Reactor, 68
measurement in Juggernaut Reactor, 68
measurement of temperature coefficient of, in CVTR, 67
Reactor accidents
analysis of fast, 168
analytical description, 82, 277–78, 416–17
detection of fast, 207–8
failure diagnosis in, role of incipient, 224
I_2 deposition, 226–38
Reactor components
flat-plate studies, 78
reliability evaluation by probabilistic modeling techniques, 481–86
Reactor components (irradiated)
testing of H-cooled, 71
Reactor containment
analysis in LOFT, 85
fatigue of steel (A-302B), 77
melt-through, 13–24
nozzle connections in spherical shells, 77
pressure-vessel design criteria, 89–90
pressure-vessel fracture, 77
pressure-vessel melt-through, 13–24
radioiodine deposition, 80, 229–35
removal of organic iodides from atmospheres of, 171–72
response to loss of coolant, 78–79, 272
secondary, in high-temperature gas-cooled reactors, 8
steel impact testing, 78
symposium on power-, 103–6
testing of Connecticut Yankee Reactor, 71
testing of PM-2A vessel, 77
use of prestressed-concrete vessels in high-temperature gas-cooled reactors, 7–8
vessel fatigue, 271
vessel-size effects on fission-product behavior in, 128–37
vessel, testing of PM-2A, 271, 410
vessel weld defects, 271
Reactor control, 25–34, 120–27, 218–25, 303–12, 363–71, 481–93
Reactor control rods
bowing in ORR, 69
calibration in Peach Bottom 1 Reactor, 68–69
drive thimble supports in Dresden 1, 266–67
LOFT studies, 84
pool-type reactors, 72
Reactor control systems
review of wide-range nuclear channels, 486–93
Reactor coolants
burnout, 351–60, 467–78
concentration during PWR decontamination, 73
conductivity in Air Force Nuclear Engineering Test Reactor, 70–71
He cleanup in Peach Bottom Reactor, 70
ignition of organic, 13
loss, 272, 412–13
loss, spray cooling of fuel following, 43–45
loss, use of ice for pressure suppression upon, 174–75
monitoring of water in Juggernaut Reactor, 72
Na, boiling of, 206–7
Na, dynamics of, 166, 526
Na fires, 167–68
Na, heat transfer in, 166
Na, liquid-superheat testing of, 167
Na loss, 168
Na, material behavior in, 166
wastes from, 240–42
water discharge, thermal effects of, 199–200
water loss, containment response to, 78–79
Reactor cooling systems
(see also Reactor primary systems)
afterheat removal by, in high-temperature gas-cooled reactors, 7–8
blowdown in LOFT, 84–86
emergency in-core, for water reactors, 78, 324–25
failure of emergency, reactor-core melt-through following, 13–24
leakage in NPD Reactor, 69
Reactor-core cover gas
dissolved He in SRE, effect of, 67
Reactor cores
behavior, examination of, 222
behavior of fast-, 210–17
bowing of components in ORR, 69–70
dynamics, 167
emergency cooling, ACRS comments, 324–25
emergency cooling for water reactors, 78
grid support in Battelle Research Reactor, 72
integrity in high-temperature gas-cooled reactors, 6–7
LOFT studies, 83–84
melt-through following emergency cooling failure, 13–24
physics of fast-, under accident conditions, 202, 205–6
Reactor design
criteria, 88–89, 175
Reactor Development and Technology Division
standards and specifications for reactor components, 420–21
Reactor filters
design and testing of charcoal, 72
radioiodine trapping by iodized charcoal, 80
for stainless steel–UO_2 aerosols, 80–81
Reactor fuel cladding
reactions with water, 78–79

swelling in LOFT, 84
Reactor fuel-reprocessing plants
licensing and regulation, 97–98, 183–84, 294
Reactor fuels
accountability for Yankee Reactor, 73
compatibility for Dresden 1 Reactor, 70
compatibility for Trino Reactor, 70
destruction, fission-product behavior in water reactors upon, 79–81
fission-product release, 272–73
fission-product release from failed fast-, 168–69
handling at EBR-II, 73
heat transfer in spray-cooled, 43–45
meltdown, 165–66
meltdown in Fermi Reactor, 67, 71
performance in Peach Bottom Reactor, 70
pretreatment of HFIR, 68
swelling in LOFT, 84
temperature measurement in Air Force Nuclear Engineering Test Reactor, 66–67
testing in SPERT, 407–9
Reactor fuels (Mg clad)
fire spread from, through graphite moderator, 10–11
Reactor fuels (metallic)
reactions, 10
Reactor fuels (molten)
handling, 19–20
Reactor fuels (oxide)
behavior under accident conditions, 212
Reactor fuels (PuO_2–UO_2)
transient testing, 166–67
Reactor fuels (sodium-bonded metallic)
behavior under accident conditions, 212–13
Reactor fuels (spent)
chemical processing and conversion, regulation of, 190
shipping criteria for, 427
Reactor fuels (ThC_2)
reactions, 169–70
Reactor fuels (ThC_2–UC_2)
reactions, 169–70
Reactor fuels (UO_2)(stainless-steel clad) (irradiated)
failure in Capsule Driver Core, 64
Reactor fuels (Zircaloy clad)
shearing, 11
Reactor fuels (Zr base)
mechanical preparation, 11
Reactor heat exchangers
performance of MSRE, 68
repair of High Flux Beam Reactor, 69
Reactor instrumentation, 25–34, 120–27, 218–25, 303–12, 363–71, 481–93
Reactor instrumentation, 25–34, 120–27, 218–25, 303–12, 363–71
Reactor kinetics
coupled-core, 125–27
water reactors, 74–76, 268–70
Reactor materials
ignition and combustion, 10–14
Reactor materials (irradiated)
testing of H-cooled, 71
Reactor moderators
fire spread in graphite, 10–11
graphite reaction with steam, 170
Reactor operation
experience, 59–73, 150–64, 249–67, 322–23, 394–405, 521–24
fast-, 207–8
Reactor-operation systems
relation to protection systems, 32–33
Reactor operators
certification, 110–11
role in plant protection, 34
studies, 171, 428–29, 532
training, 72
Reactor physics
high-temperature gas-cooled reactors, 6, 8
measurement of startup, in Peach Bottom Reactor, 68
Reactor piping
crack monitor, 77–78, 411
design criteria for, 421–22
failure, 76
reliability, 270–71
rupture of ductile, 77, 411
Reactor pool liners
replacement at Texas A & M University 69
Reactor power
measurement, 67
Reactor primary systems
(see also Reactor cooling systems)
failure detection in, 222–23
HI and I_2 deposition on surfaces of, 226–28
integrity, 76–78, 270–72, 410–12
radioiodine deposition, 80
reliability, 410
rupture, spray cooling of fuel following, 43–45
Reactor process tubes
hydriding of, in Hanford production reactors, 70
Reactor-protection systems
design, 28–34, 303–12
Reactor pumps
design criteria for, 421–22
maintenance in Big Rock Point Reactor, 69
Reactor safety
AEC comment on power-, 284–86
courses, 191, 301, 522
design aspects of nuclear power ship Otto Hahn, 443–56
review procedures in Department of Defense, 106–11
school establishment at NRTS, proposed, 522
standards for, 337–42
Reactor safety features, 35–45
Reactor safety systems
geophysical, 120–24
reliability as a function of testing frequency, 303–12
seismological, 120–24
testing in High Flux Isotope Reactor, 72–73
Reactor scram
load-dump, in Pathfinder Reactor, 72
Reactor scram mechanisms
materials for Tower Shield Reactor II, 69
Reactor siting, 198–99
AEC comment on power-, 284–86
evaluation for power reactors, 2
instrumentation, geophysical and seismological, 120–24
power reactors, 1–4
symposium on power-, 103–6
United Kingdom, policy change in, 430–31
United States, policy change in, 431
Reactor startup
power reactors, 71–72
Reactor valves
design criteria for, 421–22
Reactor vessels
design criteria, 89–90
effect of weld defects, 410
fatigue testing, 410
flaw detection by acoustic emissions, 222
wall replacement in NRU Reactor, 69
Reactors
indemnity, waiving defenses, 343–50
information, computer handling of, 173–74
monitoring of environs, 143–49
occurrences in, reported in 1966, 254–61
operation, 150–64
operation, safety review procedures in Department of Defense of, 106–11
power measurement, 67
specifications, development of technical, 150–64
Reactors (Aberdeen Pulse)
control and safety of, 363–65
operation, computer use in, 26–27
Reactors (advanced gas cooled)
development, 4–5
Reactors (Air Force Nuclear Engineering Test)
coolant conductivity, 70–71
fuel temperature measurement, 66–67
Reactors (Battelle Research)
core-grid support, 72
Reactors (Bell)
licensing and regulations, 432, 434, 538
Reactors (Big Rock Point)
licensing and regulation, 92, 178, 286–88, 326–27, 330, 436, 541
pump maintenance, 69
stuck control rod, analysis of, 326–27
Reactors (Boiling Nuclear Superheater)
Reactors (boiling water)
safety school at NRTS, proposal for, 522
waste management, 242
Reactors (Bolsa Island 1)
licensing and regulation, 91–92, 176–78, 288, 328, 537–38
Reactors (Bolsa Island 2)
licensing and regulation, 91–92, 176–78, 288, 328, 434, 537–38
Reactors (Bonus)
licensing and regulation, 92, 178, 328 436, 537, 541
Reactors (BR-2)
^{244}Cm removal from primary coolant system, 322–23
Reactors (Browns Ferry)
operation, computer use in, 26
Reactors (Browns Ferry 1)
licensing and regulation, 92, 178, 288, 328, 434, 538
Reactors (Browns Ferry 2)
licensing and regulation, 92, 178, 288, 328, 434, 538
Reactors (Browns Ferry 3)
licensing and regulation, 92, 178, 288, 328, 432, 434, 537–38
Reactors (Brunswick 1)
licensing and regulation, 537–38
Reactors (Brunswick 2)
licensing and regulation, 537–38
Reactors (BSR-II)
control and safety of, 371
Reactors (Bulk Shielding)
operation, 71
Reactors (Burlington)
licensing and regulation, 91–92, 97
Reactors (Burlington 1)
(see also Reactors (Salem 1))
licensing and regulation, 177–78
Reactors (Burlington 2)
(see also Reactors (Salem 2))
licensing and regulation, 177–78
Reactors (Cabri)
core-behavior experiments in, 211–12
Reactors (Calvert Cliffs 1)
licensing and regulation, 287–88, 328, 434, 538
Reactors (Calvert Cliffs 2)
licensing and regulation, 287–88, 328, 538

Reactors (Carolinas–Virginia Tube)
licensing and regulation, 92, 288, 330, 436, 537, 541
temperature coefficient of reactivity, measurement of, 67
testing, in-plant, 87, 281
Reactors (CO_2 cooled)
fire spread, 10–11
Reactors (Connecticut Yankee)
containment testing, 71
licensing and regulation, 92, 178, 288, 327, 330–31, 436, 541
Reactors (Cook 1)
licensing and regulation, 287–88, 328, 434, 538
Reactors (Cook 2)
licensing and regulation, 287–88, 328, 434, 538
Reactors (Cooper)
licensing and regulation, 92, 178, 288, 328, 331, 434, 538
Reactors (coupled core)
dynamics, 125–27
Reactors (CP-5)
reactivity measurement, 68
Reactors (Crystal River 3)
licensing and regulation, 92, 97, 177–88, 288, 328, 432–34, 538
Reactors (Crystal River 4)
licensing and regulation, 92, 97, 177–78, 288, 328
Reactors (Diablo Canyon 1)
licensing and regulation, 92, 178, 287, 289, 293, 328, 434, 538
Reactors (Diablo Canyon 2)
licensing and regulation, 537–38
Reactors (Dragon)
characteristics and development, 4–6
control and safety of, 365
operation, 72
Reactors (Dresden 1)
control-rod-drive thimble supports, 266–67
fuel compatibility, 70
licensing and regulation, 1, 177, 179, 183, 289, 330, 436, 541
Reactors (Dresden 2)
licensing and regulation, 93, 179, 289, 434, 538
Reactors (Dresden 3)
licensing and regulation, 93, 179, 289, 434, 538
Reactors (Easton)
licensing and regulation, 93, 179, 289, 328, 434, 538
Reactors (EDF-4)
containment, 8
Reactors (Elk River)
licensing and regulation, 93, 179, 289, 436, 541
Reactors (Engineering Test)
neutron-flux variation, reduction of, 67–68
Reactors (Experimental Boiling Water)
licensing and regulation, 93, 179, 289, 330, 436, 541
Reactors (Experimental Breeder II)
fuel handling, 73
licensing and regulation, 93, 179, 330 436, 541
Reactors (Experimental Gas Cooled)
development, 4
Reactors (fast)
coolant dynamics, 422–23
core dynamics, 424, 528
core meltdown studies, 422, 525–26
cores, behavior of, 210–17
fission-product release studies, 425
radioactivity and contamination control, 425–25
safety, 202–11, 165–69, 526–29
Reactors (Fermi)
fuel meltdown, 67, 71
licensing and regulation, 93, 97, 179, 289, 330, 436, 541
stability, 73
Reactors (Florida SPERT)
kinetics, 409–10
Reactors (Fort Calhoun)
licensing and regulation, 93, 179, 289, 328, 331–32, 434, 537–38, 542
Reactors (Fort St. Vrain)
characteristics and development, 5–8
licensing and regulation, 93, 179, 289, 328, 433–34, 437, 538
Reactors (gas cooled)
safety studies, 169–70, 425–26, 529–31
Reactors (General Electric Testing)
scram reduction, 64, 66
Reactors (Ginna)
licensing and regulation, 93, 179, 289, 328, 434, 538
Reactors (Godiva I)
control and safety of, 363–65
Reactors (Godiva II)
control and safety of, 363–65
Reactors (graphite moderated)
fire spread, 10–11
Reactors (Ground Test)
charcoal-filter operation, 72
Reactors (Hanford production)
process tubes, hydriding of, 70
Reactors (Hatch 1)
licensing and regulations, 434, 437, 538
Reactors (Health Physics Research)
control and safety of, 363–65
Reactors (High Flux Beam)
heat-exchanger tube repair, 69
Reactors (High Flux Isotope)
^{244}Cm removal from primary coolant system, 322–23
fuel pretreatment, 68
operation, 71
operation, computer use in, 26–27
safety-system testing, 72–73
testing, on-line, 221
Reactors (high-temperature gas-cooled)
fission-product behavior in, 169–70
fuel reactions, 169–70
Reactors (Humboldt Bay)
licensing and regulation, 93, 179, 289, 330–32, 436, 541–42
Reactors (IBR)
control and safety of, 365–67
Reactors (IGR)
control and safety of, 367–68
Reactors (Indian Point 1)
licensing and regulation, 93, 179, 183, 289, 330, 332–33, 436, 541
Reactors (Indian Point 2)
licensing and regulation, 93, 179, 289, 328, 434, 539
Reactors (Indian Point 3)
licensing and regulation, 93, 179, 289, 328, 434, 539
Reactors (Iowa State University)
operator training, 72
Reactors (JANUS)
reactivity measurement, 68
Reactors (Juggernaut)
coolant-water monitoring, 72
reactivity measurement, 68
sample capsule system, 72
Reactors (Kewaunee)
licensing and regulation, 93, 97, 180, 290, 328, 434, 437, 539
Reactors (KRB)
startup, 71
Reactors (La Crosse)
licensing and regulation, 93, 180, 183, 290, 293, 330, 436, 541–42
startup, 71
Reactors (LMFBR)
fission-product release and transport under accident conditions, 494–507
safety, boiling studies, 423–24
Reactors (Loss-of-Fluid Test)
program, 82–87, 278–81, 417–20
Reactors (Maine Yankee)
licensing and regulation, 180, 183, 290, 328, 434, 539, 542
Reactors (Malibu)
licensing and regulation, 94, 180, 290, 328, 434, 539
Reactors (marine propulsion)
safety-design aspects of Otto Hahn, 443–56
Reactors (Massachusetts Institute of Technology Research)
fuel shipment from, 71
specifications, development of technical, 157–60
Reactors (Millstone Point)
licensing and regulation, 94, 180, 290, 328, 435, 539
Reactors (Molly-G)
control and safety of, 363–65
Reactors (Molten Salt Reactor Experiment)
heat-exchanger performance, 68
operation, computer use in, 26–27
operator training, 72
Reactors (Monticello)
licensing and regulation, 94, 180, 290, 329, 435, 539
Reactors (New Production)
licensing and regulation, 94, 180, 290
Reactors (Nine Mile Point)
licensing and regulation, 94, 180, 184, 290, 329, 435, 539
specifications, development of technical, 160–64
Reactors (NPD)
heavy-water leakage, 69
Reactors (NRU)
vessel-wall replacement, 69
Reactors (N. S. Savannah)
digital monitoring systems, 25
inspection, 69
licensing and regulation, 95, 98, 181, 291
Reactors (Nuclear Effects)
control and safety of, 363–65
Reactors (Oak Ridge Research)
capsule tests, 170
control-rod bowing, 69
core-component bowing, 69–70
operation, computer use in, 26
Reactors (Oconee 1)
licensing and regulation, 94, 98, 180, 184, 290, 294, 329, 333, 435, 539
Reactors (Oconee 2)
licensing and regulation, 94, 98, 180, 184, 290, 294, 329, 333, 435, 539
Reactors (Oconee 3)
licensing and regulation, 94, 98, 180, 184, 290, 294, 329, 333, 435, 539
Reactors (Oldbury)
containment, 8
Reactors (Otto Hahn)
safety-design aspects of, 443–56
Reactors (Oyster Creek)
licensing and regulation, 94, 180, 184–86, 290
Reactors (Oyster Creek 1)
licensing and regulation, 435, 437–38, 539
Reactors (Oyster Creek 2)
licensing and regulation, 435, 437–38, 539
Reactors (Palisades)
licensing and regulation, 94, 180, 290, 328, 435, 539

Reactors (Pathfinder)
licensing and regulation, 94, 180, 186, 290
scram, load-dump, 72
Reactors (PBF)
control and safety of, 368–70
Reactors (Peach Bottom)
characteristics and development, 4–6
fuel performance, 70
He-coolant cleanup, 70
startup physics measurements, 68
Reactors (Peach Bottom 1)
control-rod calibration, 68–69
licensing and regulation, 94, 180, 186, 290
startup, 71
Reactors (Peach Bottom 2)
licensing and regulation, 94, 181, 186, 291, 294, 329, 435, 539
Reactors (Peach Bottom 3)
licensing and regulation, 94, 181, 186, 291, 294, 329, 435, 539
Reactors (Pilgrim)
licensing and regulation, 94, 181, 291, 435, 438, 539
Reactors (Piqua)
licensing and regulation, 94, 181, 291, 294–95
Reactors (PM-2A)
pressure vessel testing, 410
Reactors (Point Beach 1)
licensing and regulation, 95, 181, 291, 435, 539
Reactors (Point Beach 2)
licensing and regulation, 95, 181, 291, 435, 438, 539, 543
compensation problems, methods for minimizing, 522–24
Reactors (pool)
control rods, 72
Reactors (Portable Medium Power Plant 2A)
vessel testing, 77, 271
Reactors (Portable Medium Power Plant 3A)
operators, certification of, 111
safety review procedures, 109–10
Reactors (power)
containment, symposium on, 103–6
cooling-water discharge, thermal effects of, 199–200
core melt-through in water-cooled, 13–24
design criteria, 88–89
earthquake effects on, consideration of, 199
failure detection, 218–25
fuel, heat transfer in spray-cooled, 43–45
licensing and regulation, 91–99, 197–200, 432–39
operation using computers, 25–28
ownership, joint, 200
pressure suppression, use of ice for, 174–75
protection-system design, 28–34
safety, 284–86
safety, courses at MIT in, 191, 301
safety features, 35–45
safety research programs, 3
siting, 1–4, 103–6, 198–99, 284–86
startup, 71–72
waste management, 239–48
Reactors (Power Burst Facility)
kinetics, 75–76, 270, 409
Reactors (power-plant simulator)
operator training, 72
Reactors (Prairie Island 1)
licensing and regulation, 95, 181, 291, 329, 333, 435, 539, 543
Reactors (Prairie Island 2)
licensing and regulation, 95, 98, 181, 291, 329, 333, 435, 539, 543
Reactors (pressurized water)
safety school at NRTS, proposal for, 522
steam-generator-tube plugging, 69
waste management, 242, 245
Reactors (pulse)
control and safety of, 363–71
Reactors (PULSTAR)
control and safety of, 368
Reactors (Quad Cities 1)
licensing and regulation, 95, 181, 291, 329, 435, 539
Reactors (Quad Cities 2)
licensing and regulation, 95, 181, 291, 329, 435, 539
Reactors (Rancho Seco)
licensing and regulation, 291, 329
Reactors (Rancho Seco 1)
licensing and regulation, 181, 186, 435, 539, 543
Reactors (research)
operation, 71
Reactors (Robinson 2)
licensing and regulation, 95, 181, 291, 329, 435, 539
Reactors (Russellville)
licensing and regulation, 181, 186, 291, 329, 435, 540
Reactors (Salem 1)
licensing and regulation, 291, 295, 329, 435, 540, 543–44
Reactors (Salem 2)
licensing and regulation, 291, 295, 435, 329, 540, 543–44
Reactors (San Onofre)
licensing and regulation, 95, 181, 291
specifications, development of technical, 150–57
startup, 71
Reactors (Sandia Pulse)
control and safety of, 363–65
Reactors (Saxton)
licensing and regulation, 95, 181, 292
Reactors (SEFOR)
licensing and regulation, 435, 540
Reactors (Shippingport)
coolant concentration during decontamination, 73
steam-generator-tube plugging, 69
Reactors (Shippingport Core 2)
licensing and regulation, 95, 182, 292
Reactors (Shoreham)
licensing and regulation, 435, 438, 540
Reactors (sodium cooled)
safety of, under construction or planned, 208
Reactors (Sodium Reactor Experiment)
dissolved He in, effect of, 67
licensing and regulation, 95, 182, 292
Reactors (SORA)
control and safety of, 367
Reactors (Southwest Experimental Fast Oxide)
licensing and regulation, 95, 181, 292, 329
Reactors (Special Power Excursion Reactor Tests)
(see also Capsule Driver Core)
kinetics, 74–76, 268–70, 407
Reactors (SPERT)
testing of fuel elements in, 407–8
Reactors (Surry 1)
licensing and regulation, 95, 182, 186, 292, 329, 333–34, 435, 438–39, 540, 544
Reactors (Surry 2)
licensing and regulation, 95, 182, 186, 292, 329, 333–34, 435, 540, 544
Reactors (Texas A & M University)
pool-liner replacement, 69
Reactors (Three Mile Island)
licensing and regulation, 95, 182, 292, 295, 329, 435, 439, 540
Reactors (Tower Shield II)
scram-mechanism materials, 69
Reactors (Transient Reactor Test Facility)
core-behavior experiments in, 211–15
fission-product release, 79
fuel testing in, 166–67
Reactors (TRIGA)
control and safety of, 370
Reactors (Trino)
fuel compatibility, 70
Reactors (Turkey Point 3)
licensing and regulation, 96, 182, 292, 329, 435, 439, 540
Reactors (Turkey Point 4)
licensing and regulation, 96, 182, 292, 329, 435, 439, 540
Reactors (University of Virginia)
power uprating, 64
Reactors (Vallecitos Experimental Superheat)
licensing and regulation, 96, 182, 187, 292, 296
Reactors (Vermont Yankee)
licensing and regulation, 96, 182, 292, 329, 295–96, 435, 540
Reactors (water)
accidents, analytical description of, 82
Containment Systems Experiment, 81–82
fission-product behavior under accident conditions, 79–81
kinetics, 74–76
LOFT program, 82–87
loss of coolant, containment response to, 78–79
primary-system integrity, 76–78
safety studies, 268–82
testing, in-plant, 87
Reactors (water cooled)
core melt-through, 13–24
standards, 174
Reactors (Wylfa)
containment, 8
Reactors (Yankee)
fuel accountability, 73
licensing and regulation, 96, 182, 292, 296–97
steam-generator-tube plugging, 69
Reactors (Zion 1)
licensing and regulation, 96, 182, 292, 329, 334, 435, 540, 544
Reactors (Zion 2)
licensing and regulation, 96, 98, 182, 292, 329, 334, 435, 540, 544
Records
keeping of, on radiation exposure, 297, 299–300
Refractories (silicide coated)
reactions with gases, 11
Refractory metals (Pt clad)
reactions with gases, 11
Refractory metals (Rh clad)
reactions with gases, 11
Regulations
(see also Licensing and regulation)
power-reactor siting, 1–4
radiation exposure, 189
Regulatory Review Panels
activities, 195–97, 535
Reports
NSIC, 102, 192, 302
Research and development
power-reactor safety, 3
progress summaries, 74–87, 165–74, 268–82, 407–31
Rhenium alloys (Re–W)
reactions with gases, 11
Rivers
effluent behavior in, 171
waste disposal to, 427

Rock Flats Plant
incident, ion-exchange-resin system failure, 395, 399–400

Safeguards (engineered)
compensating, for power reactors, 1–2
in high-temperature gas-cooled reactors, 7–8
reliability, 127, 303–12
Sampling
(see Radiation monitoring and specific materials sampled, e.g., Biota (aquatic))
Santowax OM
burnout in subcooled forced-convection systems, 467–78
Savannah River Laboratory
environmental dose evaluation, 392
incident, ion-exchange-resin system failure, 398
Schools
reactor safety at NRTS, proposed, 522
Sediments
sampling in facility environs, 147
Seismographs
use for reactor safety, 122–23
Seismology
instrumentation for reactor safety, 120–24
relation to power-reactor safety, 3–4
research, ACRS comments on, 325
Seismometers
use for reactor safety, 122
Seminars
(see also Conferences and meetings and Symposia)
medical planning and care of radiation accident victims, 521
Shielding
recommendations for low-energy accelerators, 457–66
Shipping casks
for radioactive materials, 170–71, 426–27, 531
Ships (nuclear)
safety-design aspects of Otto Hahn, 443–56
Siess, Chester P.
appointment to ACRS, 431
Silver
use in I_2 removal from air streams, 377–78
Sodium (liquid)
boiling, 206–7
burnout in pool-boiling systems, 351–60
burnout in subcooled forced-convection systems, 467–78
dynamics of, 166, 526
fires, 11, 167–68
fires, characterization of energy and aerosols generated from, 424
heat transfer in, 166
liquid-superheat testing of, 167
material behavior in, 166
Soils
moisture determination, 426
moisture flow in, 170, 531
sampling in facility environs, 148
Specifications
(see also Standards)
development of technical, for reactors, 150–64
Stacks
use of high, for air-pollution reduction, 46–53
Stainless steel (300 series)
reactions with gases, 11
Stainless steel (304)
fatigue, 76
fatigue testing at high temperature, 410
Stainless steel (A-302-B)
fatigue testing at high temperature, 410
Stainless steel (irradiated)
oxidation of Nb-stabilized, 10
Stainless-steel aerosols (stainless steel–UO_2)
filtering, 80–81
Standards
(see also Specifications)
pipes, pumps, and valves, 421–22
RDT, 281–82, 420–21
reactor safety, 337–42
for water-cooled reactors, 174
States
regulatory authority, 189–90
Steam
explosions, 21–22
reaction with graphite, fission-product behavior during, 169, 529–30
reaction with HTGR-type fuel, 530
Steam generators
tube plugging in PWR and Yankee Reactor, 69
Steel
heavy-section technology, 173, 429, 533
Steel (A-302B) reactor vessels
fatigue, 77
Steel (A-533B)
impact testing, 78
Structural metals
burning, 10–11
ignition, 10–11
Symposia
(see also Conferences and meetings and Seminars)
power-reactor containment, 103–6
power-reactor siting, 103–6
radioactive waste disposal into the ground, 313–21
radioecology, 138–43

Tantalum
reactions with gases, 11
Tantalum alloys (Ta–W)
reactions with gases, 11
Television
use in failure detection, 224
Testing
in-plant at CVTR, 281
power plants for failure detection, 218–25
power-reactor in-service, 32
reactor in-plant, 87
reactor safety systems, effects on reliability of, 303–12
Thermoluminescence
use in personnel monitoring, 510–14
Thorium dicarbide reactor fuels
reactions, 169–70
Thorium dicarbide reactor fuels (ThC_2–UC_2)
reactions, 169–70
Thorium powder
ignition temperatures, 11–12
Titanium
machining, 11
Titanium alloys (Pu–Ti–U)
burning, 10
Titanium powder
ignition temperatures, 11–12
Training courses
power-reactor safety at MIT, 191, 301
power-reactor safety school at NRTS, proposed, 522
UKAEA Reactor Safety Course No. 8, 442, 520
Tritium
release, 241–42
Tungsten
reactions with gases, 11
Tungsten alloys (Re–W)
reactions with gases, 11
Tungsten alloys (Ta–W)
reactions with gases, 11
Tungsten disilicide
oxidation, 11

United Kingdom
reactor safety course No. 8, 442, 520
reactor siting, policy change in, 430–31
Uranium
hazards, 10
ignition, 10
oxidation, 10
supply, regulation of, 190
Uranium alloys (Mo–Pu–U)
burning, 10
Uranium alloys (Pu–Ti–U)
burning, 10
Uranium dicarbide reactor fuels (ThC_2–UC_2)
reactions, 169–70
Uranium dioxide (molten)
heat removal from, 18–19
Uranium dioxide aerosols (stainless steel–UO_2)
filtering, 80–81
Uranium dioxide reactor fuels (PuO_2–UO_2)
transient testing, 166–67
Uranium dioxide reactor fuels (stainless-steel clad)(irradiated)
failure in Capsule Driver Core, 64
Uranium powder
ignition temperatures, 11–12
Utilization facilities
licensing and regulation, 99, 101, 187, 189
occurrences in, reported in 1966, 254–61

Wastes
(see Radioactive wastes)
Water
burnout in pool-boiling systems, 351–60
burnout in subcooled forced-convection systems, 467–78
determination in soil, 426
inleakage control in high-temperature gas-cooled reactors, 8
reactions with metals, 78–79, 272, 412
Water (surface)
flow in soils, 170
monitoring in facility environs, 146–47

Zinc wire
burning, 11
Zircaloy-2
sawing, 11
Zirconium-base fuels
mechanical preparation, 11
Zirconium powder
ignition temperatures, 11–12

☆ U. S. GOVERNMENT PRINTING OFFICE: 1968—345440/2